MedStar Health, Inc. POLICY AND PROCEDURE MANUAL

Policy Number: MP.110.MH Last Review Date: 08/15/2019 Effective Date: 10/01/2019

MP.110.MH – Sacral Nerve Stimulators

This policy applies to the following lines of business:

- ✓ MedStar Employee (Select)
- ✓ MedStar CareFirst PPO

MedStar Health considers **Sacral Nerve Stimulators (SNS)** medically necessary for the following indications:

Urinary Incontinence

- 1. SNS is considered medically necessary for the treatment of any of the following conditions:
 - Urinary urge incontinence
 - Urgency-frequency syndrome
 - Urinary retention
 - And
- 2. When all of the following criteria are met:
 - The member must be refractory to conventional therapy (documented behavioral, pharmacologic and/or surgical corrective therapy) and be an appropriate surgical candidate such that implantation with anesthesia can occur.
 - The member completed successful test/trial stimulation (The indications for a test/trial stimulator are the same as for permanent implantation)
 - The member demonstrates adequate ability to record voiding diary data such that clinical results of the implant procedure can be properly evaluated

Note: Before a member is eligible for permanent implantation, they must have had a successful test stimulation in order to support subsequent implantation. Before a patient is eligible for permanent implantation, he/she must demonstrate a 50% or greater improvement through test stimulation. Improvement is measured through voiding diaries.

Fecal Incontinence

SNS is considered medically necessary for the treatment of **fecal incontinence** when all of the following are met:

 The member has chronic fecal incontinence of greater than two incontinent episodes on average per week with duration greater than six months OR ≥ 12 months post vaginal childbirth



MP.110.MH – Sacral Nerve Stimulators

Policy Number: MP.110.MH Last Review Date: 08/15/2019 Effective Date: 10/01/2019

- Documented failure or intolerance to conventional therapy (e.g., dietary modification, the addition of bulking agents and pharmacologic treatment)
- The member is an appropriate candidate for surgery with anesthesia
- The member had completed successful test/trial stimulation. (The indications for a test/trial stimulator are the same as for permanent implantation).

Note: Before a member is eligible for permanent implantation, they must demonstrate a 50% or greater improvement through test/trial stimulation over a two week period.

Limitations

SNS is considered not medically necessary and is therefore not covered for the following:

- Urinary Incontinence members with stress incontinence, urinary obstruction, and specific neurologic diseases (e.g., diabetes with peripheral nerve involvement) which are associated with secondary manifestations of the above three indications are excluded.
- 2. Fecal Incontinence:
 - Conditions related to an anorectal malformation: congenital anorectal malformation; defects of the external anal sphincter over 60 degrees; visible sequelae of pelvic radiation; active anal abscesses and fistulae
 - Chronic inflammatory bowel disease (IBD)
 - Damage to tissue due to pelvic radiation
 - Sacral nerve neuromodulation is considered experimental, investigational and unproven in the treatment of chronic constipation or chronic pelvic pain

Background

Sacral nerve stimulation (SNS) is defined as the implantation of a permanent device that modulates the neural pathways controlling bladder function. SNS involves both a temporary test stimulation to determine if an implantable stimulator would be effective and a permanent implantation in appropriate candidates. This treatment involves electrical stimulation of the sacral nerves in the lower region of the spine via a totally implantable system. System components include a lead, an implantable pulse generator and an extension that connects the lead to the pulse generator. SNS is used for the treatment of urinary urge incontinence, urgency-frequency syndrome and urinary retention.

Codes:		
CPT Codes / HCPCS Codes / ICD-10 Codes		
Code	Description	



MP.110.MH – Sacral Nerve Stimulators

Policy Number: MP.110.MH Last Review Date: 08/15/2019 Effective Date: 10/01/2019

64561	Percutaneous implantation of neurostimulator electrodes, sacral nerve
64581	Insertion for implantation of neurostimulator electrodes, sacral nerve
A4290	Sacral nerve stimulation test lead, each
ICD-10 codes covered if selection criteria are met:	
N31.8	Other neuromuscular dysfunction of bladder
N36.44	Muscular disorders of urethra
N39.41	Urge incontinence
N39.46	Mixed incontinence
R15.9	Full incontinence of feces
R32	Unspecified urinary incontinence
R33.8	Other retention of urine
R33.9	Retention of urine, unspecified
R35.0	Frequency of micturition
R39.11	Hesitancy of micturition
R39.14	Feeling of incomplete bladder emptying
R39.81	Functional urinary incontinence
R39.89	Other symptoms and signs involving the genitourinary system

References

- Center for Medicare and Medicaid Services (CMS). National Coverage Determination (NCD) No. 230.18 - Sacral Nerve Stimulation for Urinary Incontinence. Effective Date: 01/01/2002. <u>http://www.cms.gov/medicarecoverage-database/details/ncd-</u> details.aspx?NCDId=249&ncdver=1&bc=AgAAgAAAAAAAAA%3d%3d&
- Center for Medicare and Medicaid Services (CMS). Local Coverage Article No. A55835- Sacral Nerve Stimulation for Urinary and Fecal Incontinence. Effective Date: 02/01/2019. <u>https://www.cms.gov/medicare-coveragedatabase/details/articledetails.aspx?articleId=55835&ver=3&CoverageSelection=Local&ArticleType=All &PolicyType=Final&s=All&CptHcpcsCode=64590&bc=gAAAACAAAAA&
 </u>
- Center for Medicare and Medicaid Services (CMS). Local Coverage Determination (LCD) No. L35449 - Sacral Nerve Stimulation (Contractor: Novitas Solutions, Inc.) Effective date 04/18/2019. <u>https://www.cms.gov/medicarecoverage-database/details/lcd-</u>



MP.110.MH – Sacral Nerve Stimulators

Policy Number: MP.110.MH Last Review Date: 08/15/2019 Effective Date: 10/01/2019

details.aspx?LCDId=35449&ver=26&Date=&DocID=L35449&bc=iAAAABAAAAA A&

- 4. Hayes Medical Technology Directory. Implantable Sacral Nerve Stimulation for Urinary Voiding Dysfunction. Annual Review May 22, 2014.
- National Institute for Health and Clinical Excellence (NICE). Interventional Procedure Guidance. IPG 99 - Sacral nerve stimulation for faecal incontinence. Issued November 2004. https://www.nice.org.uk/guidance/ipg99/resources/guidance-sacral-nerve-

<u>https://www.nice.org.uk/guidance/ipg99/resources/guidance-sacral-nerve-</u> stimulation-for-faecal-incontinence-pdf

Disclaimer:

MedStar Health medical payment and prior authorization policies do not constitute medical advice and are not intended to govern or otherwise influence the practice of medicine. The policies constitute only the reimbursement and coverage guidelines of MedStar Health and its affiliated managed care entities. Coverage for services varies for individual members in accordance with the terms and conditions of applicable Certificates of Coverage, Summary Plan Descriptions, or contracts with governing regulatory agencies.

MedStar Health reserves the right to review and update the medical payment and prior authorization guidelines in its sole discretion. Notice of such changes, if necessary, shall be provided in accordance with the terms and conditions of provider agreements and any applicable laws or regulations.

These policies are the proprietary information of Evolent Health. Any sale, copying, or dissemination of said policies is prohibited.

